

ARRI Junior 150

ARRI

The ARRI Fresnel series is ideal for use where compact, light weight tungsten Fresnel spotlights are required. Arri Fresnels are the perfect solution in small studios where grid height is a problem. The classic ARRI construction of corrosion resistant extruded and die cast aluminium maximises body strength while maintaining the light weight of an ideal location fixture. Despite the small size, short focal length lenses with wider angles give more light output and better light distribution over the full beam area. Arri Fresnels are available in both manual and Pole Operated version.



ARRI Junior 150 Technical Data

ARRI Junior 150

Measurement: ▶ Metric (m/lx) ▶ US Units (ft/ftc)

Type of Lamphead:	_____	Fresnel
Power:	_____	150 W
Lamp Type:	_____	150 W 230V GX6,35 show all
Supply Voltage:	_____	230 V
Correlated Color Temperature:	_____	3200 K
Lamp Base:	_____	GX6,35
Lens Diameter:	_____	50 mm
Barn Door Size:	_____	79 mm
Filter Insertion Size:	_____	79 mm
Mounting:	_____	Spigot 16mm
Packed Size:	_____	285 mm - 170 mm - 150 mm
Packed Volume:	_____	7270 ccm
Shipping Weight:	_____	1.6 kg
Protection Class:	_____	IP 23
Compliance:	_____	ETL / CE

Description:



4-Leaf Barndoor, rotateable, 78 mm



Filter Frame, 78 mm



Scrim Set, 78 mm



Snoot, 78 mm



Tungsten Halogen Lamp 150 W / 230 V / 120V



Stand AS-01



Stand AS-3