

ARRI Junior 2000 Description

ARRI Junior 2000

ARRI

The ARRI Fresnel series is ideal for use where compact, light weight tungsten Fresnel spotlights are required. Arri Fresnels are the perfect solution in small studios where grid height is a problem. The classic ARRI construction of corrosion resistant extruded and die cast aluminium maximises body strength while maintaining the light weight of an ideal location fixture. Despite the small size, short focal length lenses with wider angles give more light output and better light distribution over the full beam area. Arri Fresnels are available in both manual and Pole Operated version.



ARRI Junior 2000 Technical Data

ARRI Junior 2000

Measurement: ▶ Metric (m/lx) ▶ US Units (ft/ftc)

Type of Lamphead:	_____	Fresnel
Power:	_____	2000 W
Lamp Type:	_____	CP/73 FKK 2000 W 230V G38 show_all
Supply Voltage:	_____	230 V
Correlated Color Temperature:	_____	3200 K
Lamp Base:	_____	G38
Lens Diameter:	_____	175 mm
Barn Door Size:	_____	245 mm
Filter Insertion Size:	_____	229 mm
Mounting:	_____	Spigot 28mm
Packed Size:	_____	510 mm - 415 mm - 415 mm
Packed Volume:	_____	87830 ccm
Shipping Weight:	_____	9 kg
Protection Class:	_____	IP 20
Compliance:	_____	CE

Description:



4-Leaf Barndoor, rotateable, 245 mm



8-Leaf Barndoor, rotateable, 245 mm



Filter Frame, 229 mm



Scrim Set, 229 mm



Snoot, 245 mm



Tungsten Halogen Lamp 2000 W / 230 V / 120V



Stand AS-4



Safety Cable with Carabiner